**Rain Showers** 

### COMPLEMENTOS



### Description

Oval 30x20 rain shower head + shower head arm + Concealed URBAN thermostatic 2 ways + Single function handshower + Flexi shower hose twist free + Wall bracket with outlet elbow





100106967 - N399999846



Warranty:For a warranty or other information on this product, visit our Web address: www.noken.com

Legal disclaimer: All details provided by the NOKEN's Product has an information purpose without any contractual value. In order to obtain further information about the materials and their installation please visit our showrooms. NOKEN reserves the right to modify or delete any information on this site. The images and colours shown in this site may differ from the real ones.

Bathroom Taps

### PACK: 100106967 | COMPONENT: 100039121

## COMPLEMENTOS MINIMAL



Description

MINIMAL - Wall bracket with outlet elbow

Finish



100039121 - N198490001

Certifications and quality characteristiques




noke

PORCELANOSA BATHROOMS

Technical drawing

Dimensions in mm



Warranty:For a warranty or other information on this product, visit our Web address: www.noken.com

Legal disclaimer: All details provided by the NOKEN's Product has an information purpose without any contractual value. In order to obtain further information about the materials and their installation please visit our showrooms. NOKEN reserves the right to modify or delete any information on this site. The images and colours shown in this site may differ from the real ones.

Bathroom Taps

Ę

## COMPLEMENTOS MINIMAL



### Description

MINIMAL - Single function handshower . Flow rate 13,26 l/min. at 3 bar.






100040325 - N299274701

Technical drawing

Dimensions in mm



Warranty:For a warranty or other information on this product, visit our Web address: www.noken.com

Legal disclaimer: All details provided by the NOKEN's Product has an information purpose without any contractual value. In order to obtain further information about the materials and their installation please visit our showrooms. NOKEN reserves the right to modify or delete any information on this site. The images and colours shown in this site may differ from the real ones.



EX

 $\langle \hat{2} \rangle$ 





### Description

Concealed thermostatic 2 ways 1/2"-3/4" with wax thermostatic element. Diverter valve with integrated shut off 1/2". Flow rate bath 26 l/min. at 3 bar and flow rate shower 13 l/min.at 3 bar. Built in non-return valve. Safety stop at  $38^{\circ}$ C.



chrome

100063403 - N111390004

Certifications and quality characteristiques




Flow rate diagramme

Pressure (bar)	0	0.5	1	2	3	4
Flow - Handshower (I/min)	0	10.5	15	21	26	30
Flow - Spout (I/min)	0	6.5	9	13	16	18




PORCELANOSA BATHROOMS



Technical drawing

Dimensions in mm



Warranty:For a warranty or other information on this product, visit our Web address: www.noken.com

Legal disclaimer: All details provided by the NOKEN's Product has an information purpose without any contractual value. In order to obtain further information about the materials and their installation please visit our showrooms. NOKEN reserves the right to modify or delete any information on this site. The images and colours shown in this site may differ from the real ones.

**Rain Showers** 

EX

## COMPLEMENTOS



### Description

Oval 40 cm shower head arm, wall connection

Finish



100063878 - N192579908


Certifications and quality characteristiques

PORCELANOSA BATHROOMS



Technical drawing

Dimensions in mm



Warranty:For a warranty or other information on this product, visit our Web address: www.noken.com Legal disclaimer: All details provided by the NOKEN's Product has an information purpose without any contration information about the materials and their installation please visit our showrooms. NOKEN reserves the right to

Legal disclaimer: All details provided by the NOKEN's Product has an information purpose without any contractual value. In order to obtain further information about the materials and their installation please visit our showrooms. NOKEN reserves the right to modify or delete any information on this site. The images and colours shown in this site may differ from the real ones.

**Rain Showers** 

# NEPTUNE SLIM





### Description

Oval 30x20 rain shower head, with ball joint



chrome

100090355 - N192579923

Certifications and quality characteristiques




noke

PORCELANOSA BATHROOMS

Technical drawing

Dimensions in mm



Warranty:For a warranty or other information on this product, visit our Web address: www.noken.com

Legal disclaimer: All details provided by the NOKEN's Product has an information purpose without any contractual value. In order to obtain further information about the materials and their installation please visit our showrooms. NOKEN reserves the right to modify or delete any information on this site. The images and colours shown in this site may differ from the real ones.

Bathroom Taps

PACK: 100106967 | COMPONENT: 100137893

## COMPLEMENTOS FLEXIBLE



### Description

175 cm. Flexi shower hose twist free

Finish



100137893 - N199999493

Certifications and quality characteristiques

**WRAS** 



Warranty:For a warranty or other information on this product, visit our Web address: www.noken.com

Legal disclaimer: All details provided by the NOKEN's Product has an information purpose without any contractual value. In order to obtain further information about the materials and their installation please visit our showrooms. NOKEN reserves the right to modify or delete any information on this site. The images and colours shown in this site may differ from the real ones.